


# Marine Fuel Filtration

## RFF Filter Funnels

Racor RFF funnels include stainless steel filters that are permanently attached and designed to work with hydrocarbon fuels only. Other liquids may compromise the effectiveness of the filter. The purpose of this product is to remove solid contamination down to 0.005 inch and free water.

Free water is the collection of water molecules in the bottom of gas cans, tanks, or drums formed when fuel is stored for even short periods of time. The free water formation is due to condensation in the air and/or the separation of water molecules from fuel. Water may be present in hydrocarbon fuels as free water or as an emulsion, small droplets of water suspended in the fuel. Water may be emulsified in fuel by vibration or by emulsifying additives such as alcohol, or detergents. The RFF filter will not remove emulsified water. Install Racor fuel filter/water separators to remove emulsified water from your engine's fuel system. Always dispose of water, contaminants, or dirty fuel in a proper manner.



Specifications	RFF1C	RFF3C	RFF8C	RFF15C
Max. Flow Rate	2.7 GPM (10 LPM)	3.9 GPM (14 LPM)	5 GPM (19 LPM)	15 GPM (56 LPM)
Micron Rating	100 micron	100 micron	100 micron	74 micron
Height	6.0 in. (15.2 cm)	9.0 in. (22.9 cm)	10.0 in. (25.4 cm)	10.0 in. (25.4 cm)
Diameter	3.5 in. (8.9 cm)	5.5 in. (14.0 cm)	8.5 in. (21.6 cm)	8.5 in. (21.6 cm)
Weight	0.2 lb (0.09 kg)	0.3 lb (0.1 kg)	0.6 lb (0.3 kg)	1.0 lb (0.5)

Parker Hannifin Corporation  
 Racor Division  
 PO Box 3208  
 Modesto, CA 95354 USA  
 Phone: 800.344.3286  
 Fax: 209.529.3278  
 E-mail: racor@parker.com

Visit our website at:  
[www.parker.com/racor](http://www.parker.com/racor)

